

INDEX TO VOLUME LVI

INDEX TO AUTHORS AND TITLES

- Agnihothru, V.** Notes on fungi from north-east India—XX. Two new parasitic fungi from the tea gardens of Assam 420
- Ajello, Libero.** Survey of tree shrew pelts for mycotic infections 455
- , **Edith Varsavsky, Oliver J. Ginther, and George Bubash.** The natural history of *Microsporum nanum* 873
- Alexopoulos, Constantine J.** The white form of *Physarella oblonga* 550
- Ayers, W. A.** See Papavizas and Ayers 816
- Backus, M. P.** See Christensen and Backus 498; Christensen et al. 354; Nelson et al. 384
- Barnett, H. L.** Mycoparasitism 1
- Barr, Margaret E.** The genus *Pseudomassaria* in North America 841
- , See Cooke and Barr 763
- Barron, G. L.** A new genus of the Hyphomycetes from soil 514
- , A note on the relationship between *Stachybotrys* and *Hyalostachybotrys* 313
- Batra, Lekh R., and Helene Francke-Grosmann.** Two new ambrosia fungi—*Ascoidea asiatica* and *A. africana* 632
- Baxter, John W.** Aquatic Hyphomycetes from Oregon 133
- , New species of Uredinales on Mexican Leguminosae 285
- Beneke, Everett S.** See Bulmer and Beneke 70
- Bradley, S. G.** See Jones and Bradley 505
- Bubash, George.** See Ajello et al. 873
- Bulmer, Glenn S.** Spore germination of forty-two species of puffballs 630
- , and **Everett S. Beneke.** Germination of basidiospores of *Lycoperdon* species and *Scleroderma lycoperdoides* 70
- Campana, R. J.** See Rosinski and Campana 738
- Carbone, Louis J., and G. T. Johnson.** Growth and pigmentation of *Aspergillus umbrosus* 185
- Carroll, George C., and Anders Munk.** Studies on lignicolous Sordariaceae 77
- Cauchon, René, and G. B. Ouellette.** Association of *Stromatocrea cerebriforme* and *Hypocreopsis* species with *Hymenochaete* species 453
- Chen, Alice Whei-chu.** See Lichtwardt and Chen 163
- Christensen, Martha, and M. P. Backus.** Two varieties of *Monocillium humicola* in Wisconsin forest soils 498
- , and **D. I. Fennell.** The rediscovery of *Aspergillus cervinus* 350
- , and **M. P. Backus.** *Aspergillus kanagawaensis* and related species in Wisconsin forest soils 354
- Chupp, Charles.** Some *Colletotrichums* on potato and tomato 393
- Cook, Philip W.** Addendum. A new *Polyphagus* in alga culture 449
- Cooke, John C., and Margaret E. Barr.** The taxonomic position of the genus *Thelebolus* 763

INDEX TO VOLUME LVI

INDEX TO AUTHORS AND TITLES

- Agnihothru, V.** Notes on fungi from north-east India—XX. Two new parasitic fungi from the tea gardens of Assam 420
- Ajello, Libero.** Survey of tree shrew pelts for mycotic infections 455
- , **Edith Varsavsky, Oliver J. Ginther, and George Bubash.** The natural history of *Microsporum nanum* 873
- Alexopoulos, Constantine J.** The white form of *Physarella oblonga* 550
- Ayers, W. A.** See Papavizas and Ayers 816
- Backus, M. P.** See Christensen and Backus 498; Christensen et al. 354; Nelson et al. 384
- Barnett, H. L.** Mycoparasitism 1
- Barr, Margaret E.** The genus *Pseudomassaria* in North America 841
- , See Cooke and Barr 763
- Barron, G. L.** A new genus of the Hyphomycetes from soil 514
- , A note on the relationship between *Stachybotrys* and *Hyalostachybotrys* 313
- Batra, Lekh R., and Helene Francke-Grosmann.** Two new ambrosia fungi—*Ascoidea asiatica* and *A. africana* 632
- Baxter, John W.** Aquatic Hyphomycetes from Oregon 133
- , New species of Uredinales on Mexican Leguminosae 285
- Beneke, Everett S.** See Bulmer and Beneke 70
- Bradley, S. G.** See Jones and Bradley 505
- Bubash, George.** See Ajello et al. 873
- Bulmer, Glenn S.** Spore germination of forty-two species of puffballs 630
- , and **Everett S. Beneke.** Germination of basidiospores of *Lycoperdon* species and *Scleroderma lycoperdoides* 70
- Campana, R. J.** See Rosinski and Campana 738
- Carbone, Louis J., and G. T. Johnson.** Growth and pigmentation of *Aspergillus umbrosus* 185
- Carroll, George C., and Anders Munk.** Studies on lignicolous Sordariaceae 77
- Cauchon, René, and G. B. Ouellette.** Association of *Stromatocrea cerebriforme* and *Hypocreopsis* species with *Hymenochaete* species 453
- Chen, Alice Whei-chu.** See Lichtwardt and Chen 163
- Christensen, Martha, and M. P. Backus.** Two varieties of *Monocillium humicola* in Wisconsin forest soils 498
- , and **D. I. Fennell.** The rediscovery of *Aspergillus cervinus* 350
- , and **M. P. Backus.** *Aspergillus kanagawaensis* and related species in Wisconsin forest soils 354
- Chupp, Charles.** Some *Colletotrichums* on potato and tomato 393
- Cook, Philip W.** Addendum. A new *Polyphagus* in alga culture 449
- Cooke, John C., and Margaret E. Barr.** The taxonomic position of the genus *Thelebolus* 763

- Cooke, Wm. Bridge.** See Pomerleau and Cooke 618
- , and **Josiah L. Lowe.** The 1955 Michigan foray 602
- , and **René Pomerleau.** IX International botanical congress—field trip no. 16—fungi 607
- Darken, Marjorie A., and Marjorie E. Swift.** Effect of brightener on spore germination 158
- Davidson, R. W., T. E. Hinds, and E. R. Toole.** Two new species of *Ceratocystis* from hardwoods 793
- De Groot, R. C.** Color of the basidiospores of *Fomes pini* 786
- Denison, William C.** The genus *Cheilymenia* in North America 718
- Duran, Ruben.** See Tachibana and Duran 289
- Durie, E. Beatrix.** *Trichophyton terrestre* 317
- Dutta, B. G., G. R. Ghosh, G. F. Orr, and H. H. Kuehn.** Soil fungi from Orissa (India). III. A new species of *Pseudoarchniotus* with punctate spores 153
- Ellis, J. J.** See Hesseltine and Ellis 568
- Emmons, C. W.** Budding in *Emmonsia crescens* 415
- Fennell, D. I.** See Christensen and Fennell 350; Christensen et al. 354
- Fergus, C. L.** Thermophilic and thermotolerant molds and actinomycetes of mushroom compost during peak heating 267
- Fowles, Bruce E.** See Fuller et al. 745
- Francke-Grosmann, Helene.** See Batra and Francke-Grosmann 632
- Fuller, Melvin S., Bruce E. Fowles, and D. J. McLaughlin.** Isolation and pure culture study of marine *Phycomycetes* 745
- Furtado, João Salvador.** Taxonomic and nomenclatural status of *Porotheleum rugosum* 923
- Gerdemann, J. W.** The effect of mycorrhiza on the growth of maize 342
- Ghosh, G. R.** See Dutta et al. 153
- Ginther, Oliver J.** See Ajello et al. 873
- Gochenaour, S. E.** A modification of the immersion tube method for isolating soil fungi 921
- Goldstein, Solomon, Louis Moriber, and Betty Hershenov.** Ultrastructure of *Thraustochytrium aureum*, a biflagellate marine phycomycete 897
- Goos, Roger D.** A new record of *Cephalophora irregularis* 133
- , Germination of the macroconidium of *Histoplasma capsulatum* 662
- , and **D. F. Summers.** Use of fluorescent antibody techniques in observations on the morphogenesis of fungi 701
- Groves, J. Walton.** Poisoning by morels when taken with alcohol 779
- Haasis, Frank A.** See Hodges and Haasis 53; Nelson and Haasis 316
- Hamilton, P. B., and S. G. Knight.** Biochemical characterization of some components in cell-free extracts from *Penicillium chrysogenum* 143
- Hershenov, Betty.** See Goldstein et al. 897
- Hesseltine, C. W., and J. J. Ellis.** The genus *Absidia*: *Gongronella* and cylindrical-spored species of *Absidia* 568
- Hilu, H. M.** Cultural variability, conidial production and pathogenicity of *Helminthosporium turcicum* 775
- Hinds, T. E.** See Davidson et al. 793
- Hodges, Charles S., and Frank A. Haasis.** The perfect stage of *Cercospora magnoliae* 53

- Howe, H. Branch, Jr.** Vegetative traits associated with mating type in *Neurospora tetrasperma* 519
- Illman, William I.** *Endosporostilbe*, an apparently superfluous generic name 920
- Jellison, William L., and Rexford D. Lord.** *Adiaspiromycosis* in Argentine mammals 374
- Johns, Robert M.** A new *Polyphagus* in algal culture 441
- Johnson, G. T.** See Carbone and Johnson 185
- Jones, L. A., and S. G. Bradley.** Relationships among streptomycetes, nocardiae, mycobacteria and other actinomycetes 505
- Kaplan, Leo.** See Mayoral et al. 626
- Kendrick, W. Bryce.** Toward better information storage and retrieval 781
- Kennedy, Donald.** See Page and Kennedy 363
- Kennedy, Lorene L.** The genus *Ditiola* 298
- Klein, Deana T.** Interrelation of pH, temperature, and growth in the induction of pleomorphism in *Trichophyton mentagrophytes* 656
- Knight, S. G.** See Hamilton and Knight 143
- Koch, William J.** Thaxter's *Myrioblepharis* 436
- Koevenig, James L.** Studies on life cycle of *Physarum gyrosum* and other Myxomycetes 170
- Kohlmeyer, Jan.** A new marine ascomycete from wood 770
- Koike, H.** See Pappelis et al. 458
- Kuehn, H. H.** See Dutta et al. 153; Orr and Kuehn 473, 482
- , **K. Tubaki, and G. F. Orr.** *Arachniotus aureus* 863
- Leach, Charles M.** A simple device for cutting, extracting and transferring plugs of fungus colonies 926
- Liberta, Anthony E.** Notes on Illinois resupinate Hymenomycetes 249
- Lichtwardt, Robert W.** Validation of the genus *Palavascia* (Trichomycetes) 318
- , and **Alice Whei-chu Chen.** A *Parataeniella* (Trichomycetes, Eccrinales) in an isopod 163
- Lord, Rexford D.** See Jellison and Lord 374
- Lowe, Josiah L.** See Cooke and Lowe 602
- Lowy, B.** A new genus of the Tulasnellaceae 696
- , *Pisolithus* in Louisiana 319
- Luttrell, E. S.** Systematics of *Helminthosporium* and related genera 119
- McLaughlin, David J.** Production of fruitbodies of *Suillus rubinellus* in pure culture 136
- , See Fuller et al. 745
- McManus, Mary Annunciata.** The plasmodia of the myxomycetes *Licea biforis* and *Cribraria violacea* 237
- McVeigh, Ilda, and Katherine Morton.** The effect of temperature upon growth requirements of *Mycoderma vini* Y-939 672
- Mathur, P. N.** See Thirumalachar et al. 809
- Mayoral, Betty M., Leo Kaplan, and A. J. Pappelis.** Carbohydrate utilization by *Cephalophora tropica* 626
- Mehrotra, B. S., and R. Prasad.** *Syncephalis depressa* from India 905
- Miller, Orson K., Jr.** Monograph of *Chroogomphus* (Gomphidiaceae) 526
- Monocha, M. S.** See Thind and Monocha 712
- Moriber, Louis.** See Goldstein et al. 897

- Morrison, Ralph M.** Germination of conidia of *Erysiphe cichoracearum* 232
- Morton, Katherine.** See McVeigh and Morton 672
- Munk, Anders.** See Carroll and Munk 77
- Narasimhan, M. J.** See Srinivasan et al. 683
- , and **M. J. Thirumalachar.** Heteroecism in *Uromyces setariae-italicae*, the rust of Italian millet 555
- Nelson, A. C., R. O. Novak, and M. P. Backus.** A new species of *Neurospora* from soil 384
- Nelson, R. R.** The perfect stage of *Curvularia geniculata* 777
- , The perfect stage of *Helminthosporium cynodontis* 64
- , The perfect stage of *Helminthosporium spiciferum* 196
- , and **Frank A. Haasis.** The perfect stage of *Curvularia lunata* 316
- Novak, R. O.** See Nelson et al. 384
- Olive, Lindsay S.** A new member of the Mycetozoa 885
- Orr, G. F.** See Dutta et al. 153; Kuehn et al. 863
- , and **H. H. Kuehn.** A new genus of the Gymnoascaceae with dark ascocarps 482
- , and —, A re-evaluation of *Myxotrichum spinosum* and *M. cancellatum* 473
- Ouellette, G. B.** See Cauchon and Ouellette 453
- Page, Robert M., and Donald Kennedy.** Studies on the velocity of discharged sporangia of *Pilobolus kleinii* 363
- Panasenko, V. T.** Some new species of fungi on starch from the Ukraine 58
- , Species of *Monilia* and *Torula* from food products 805
- Papavizas, G. C., and W. A. Ayers.** Effect of various carbon sources on growth and sexual reproduction of *Aphanomyces euteiches* 816
- Pappelis, A. J.** See Mayoral et al. 626; Weik and Pappelis 650
- , **K. L. Weik, and H. Koike.** Inexpensive incubator for rotary shake-culture apparatus 458
- Parmeter, J. R., Jr.** See Whitney and Parmeter 114
- Petersen, Ronald H.** Notes on clavarioid fungi. I. The *Clavulina castaneopes* complex 20
- Pomerleau, René.** An addition to the genus *Fuscoboletinus* 708
- , See Cooke and Pomerleau 607
- , and **Wm. Bridge Cooke.** IX International Botanical congress—field trip no. 22—Quebec fungi 618
- Prasad, R.** See Mehrotra and Prasad 905
- Rall, Gloria, and W. G. Solheim.** A variety of *Absidia* isolated from *Comandra pallida* 99
- Rogers, Jack D.** *Hypoxylon pruinautum*: the chromosome number 369
- Roff, J. W.** Hyphal characteristics of certain fungi in wood 799
- Rosinski, M. A., and R. J. Campana.** Chemical analysis of the cell wall of *Ceratocystis ulmi* 738
- Savile, D. B. O.** Geographic variation and gene flow in *Puccinia cruciferarum* 240
- , *Puccinia podophylli* by light microscopy 452
- Sehgal, H. S.** See Thind and Sehgal 561
- Shaffer, Robert L.** The subsection *Lactarioideae* of *Russula* 202
- Shaw, C. Gardner.** See Thyr and Shaw 103

- Singer, Rolf, and Alexander H. Smith.** Studies on secotiaceous fungi X. Additional data on *Gastroboletus* 310
- Smith, Alexander H.** See Singer and Smith 310
- Smith, Edwin B.** A *Fusarium* resistant to colchicine 779
- Solheim, W. G.** See Rall and Solheim 99
- Sparrow, F. K.** A new species of *Allomyces* 460
- Srinivasan, M. C., M. J. Narasimhan, and M. J. Thirumalachar.** Artificial culture of *Entomophthora muscae* and morphological aspects for differentiation of the genera *Entomophthora* and *Conidiobolus* 683
- Staley, John M.** A new *Lophodermium* on ponderosa pine 757
- Summers, D. F.** See Goos and Summers 701
- Swift, Marjorie E.** See Darken and Swift 158
- Tachibana, Hideo, and Ruben Duran.** Sexuality of *Urocystis colchici* 289
- Thind, K. S., and M. S. Manocha.** The Myxomycetes of India—XVII 712
- , and H. S. Sehgal. The Myxomycetes of India—XVI 561
- Thirumalachar, M. J.** See Narasimhan and Thirumalachar 555; Srinivasan et al. 683
- , Marvin D. Whitehead, and P. N. Mathur. A new genus of Eurotiaceae from soil 809
- Thyr, B. D., and C. Gardner Shaw.** Identity of the fungus causing red band disease on pines 103
- Toole, E. R.** See Davidson et al. 793
- Tubaki, K.** See Kuehn et al. 863
- Tuveson, R. W.** Further observations on hyphal tips isolated from heterocaryons in *Cephalosporium mycophilum* 831
- Ullstrup, A. J.** A nonpigmented form of *Gibberella roseum* forma *cerealis* on corn in Indiana 110
- Umphlett, Clyde J.** Development of the resting sporangia of two species of *Coelomomyces* 488
- Varsavsky, Edith.** See Ajello et al. 873
- Verma, J. P.** Studies in the enzyme make-up of *Alternaria*. V. Aldolase activity 909
- Wagener, Willis W.** "Facultative heteroecism." Was it demonstrated in *Peridermium harknessii* in 1919-20? 782
- Wehmeyer, Lewis E.** Some Fungi Imperfecti of the Punjab and Kashmir 29
- Weik, K. L.** See Pappelis et al. 458
- , and A. J. Pappelis. Growth of *Cephalophora tropica* in response to various nitrogen sources 650
- Weitzman, Irene.** Incompatibility in the *Microsporium gypseum* complex 425
- Wells, Kenneth.** The basidia of *Exidia nucleata*. I. Ultrastructure 327
- Whitehead, Marvin D.** See Thirumalachar et al. 809
- Whitney, H. S., and J. R. Parmeter, Jr.** The perfect stage of *Rhizoctonia hiemalis* 114
- Wickerham, Lynferd J.** A cadaver yeast and related species 398
- , A preliminary report on a perfect family of exclusively protosexual yeasts 253
- Wright, Jorge E.** Notes on *Poriae* 785
- , Pseudoamyloid reaction in pore fungi 692.

INDEX TO BIOGRAPHIES, REVIEWS, AND NOTICES

- Blumer, Samuel.** Rost- und Brandpilze auf Kulturpflanzen; review 638
- Bourdon, J. L., J. Gautier, and F. Poutrel.** Fiches techniques de mycologie courante; review 788
- C. M. I. descriptions of pathogenic fungi and bacteria. Set 1; review 470
- Correction—Mycologia volume 55, 1963; 929
- Ellis, M. B.** Dematiaceous Hyphomycetes. IV; review 320
- Emmons, C. W., C. H. Binford, and J. P. Utz.** Medical mycology; review 320
- Groves, J. Walton.** Edible and poisonous mushrooms of Canada; review 323
- Hagborg, W. A. F.** William Laurence Gordon (1901-1963); biography 645
- Hofmann, Klaus.** Fatty acid metabolism in microorganisms; review 465
- Holliday, Paul, and W. P. Mowat.** Foot rot of *Piper nigrum* L. (*Phytophthora palmivora*); review 638
- Horsfall, J. G., K. F. Baker, et al.** Annual review of phytopathology, Vol. I; review 466
- Kern, Frank D.** Lists and keys of the cedar rusts of the world; review 472
- Lange, Morten, and F. Bayard Hora.** A guide to mushroom & toadstools; review 468
- Laundon, G. F.** Rust fungi I., on Acanthaceae; II., on Aceraceae, Actinidiaceae Adoxaceae and Aizoaceae; review 321
- Moser, Meinhard.** Ascomyceten (Schlauchpilze); review 788
- Moulder, James W.** The psittacosis group as bacteria; review 638
- Mycologia—financial reports 139
- Notices 138, 462, 929
- Parmasto, E. (ed.)** Investigations in the natural history [floristics and geomorphology] of the Soviet Far East [Kamchatka]; review 463
- Rawald, W., and H. Lyr. (ed.)** Mykorrhiza; review 464
- Reijnders, A. F. M.** Les problèmes du développement des carpophores des Agaricales et de quelques groupes voisins; review 789
- Romagnesi, H.** Petit atlas des champignons; review 637
- Schirren, Carl, and Hans Rieth. (ed.)** Yeasts as causative agents of diseases in man and animals; review 470
- Sleigh, M. A.** The biology of cilia and flagella; review 469
- Smith, Alexander H.** The mushroom hunter's field guide; review 467
- Sparrow, Frederick K.** Robert M. Johns, 1928-1963; biography 209
- Steward, F. C. (ed.)** Plant physiology, volume III. Inorganic nutrition of plants; review 322
- Stolk, Amelia C.** Agathe L. van Beverwijk (1907-1963); biography 641
- Sutton, B. C.** Coelomycetes. II. *Neobarclaya*, *Mycophallage*, *Bleptosporium* and *Cryptostictus*; review 325

INDEX TO TAXA

New taxa and the pages where they are published are in **bold-face type**. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text.

- Absidia 99-102, 568-601, subgen. **Mycocladus** 569, 570, 578; **anomala** 572, 578-580, 598; **blakesleeana** 569, 570; **butleri** 569-571, 574; **capillata** 568; **coerulea** 576, 580, 598; **corymbifera** 576; **cylindrospora** 576, 584, 587-599; var. **cylindrospora** 591-595; var. **nigra** 584, 595-599; var. **rhizomorpha** 577, 597-599; **fusca** 577, 584, 588-590, 598; **glauca** 570, 576, 583, 922; **heterospora** 577, 584-588, 598; **hyalospora** 576; **japonica** 581; **orchidis** 9, 569, 576; **parasitica** 577; **parricida** 577, 578, 598; **pseudocylindrospora** 577, 586, 590-599; **psychrophilia** 572, 583-586, 597, 598; **ramosa** 576; **reflexa** 568; **repens** 568, 576; **septata** 568; **spinosa** 101, 577, 580-583, 595, 598, 601; var. **azygospora** 577, 581-583, 598; var. **biappendiculata** 99-101, 601; var. **madecassensis** 577, 583, 598; **subpoculata** 571, 574, 575; **zylogena** 593
- Achrothecium 128, 129
- Achyla 3
- Acrasis rosea 886
- Acrotheciella 124
- Actinoplanes 506, 508, 511; **philippinensis** 507, 509
- Actinothyrium graminis 103; **marginautum** 103, 104, 107, 108
- Aecidium 613; **brasilense** 557, 558; **manilense** 555; **plectroniae** 555; **serjaniae** 557
- Aerobacter aerogenes 550, 887
- Agaricus abruptibulbus 621; **arvensis** 621; **bisporus** 267; **chloroides** 228, 229; **diminutivus** 621; **haemorrhodarius** 621; **placomycetes** 603, 621; **rutilus** 543; **silvaticus** 621; **silvicola** 613
- Agrocybe acericola 603; **dara** 613; **firma** 621; **praecox** 613
- Akanthomyces aculeata 626
- Alatospora acuminata 133, 616
- Alectoria altaica 617; **implexa** 617; **jubata** 617; **sarmentosa** 617
- Aleuria aurantia 725; **umbrina** 620
- Aleurisma 415; **keratinophilum** 882
- Aleurodiscus 621; **amorphus** 613, 621; **microspora** 603
- Allescheriella crocea 607
- Allomyces **catenoides** 460, 461; **macrogynus** 144, 331
- Alnicola melinoides 621
- Alternaria 6, 14, 578, 909-919; **brassicicola** 909-916; **raphani** 909-916; **tenuis** 5, 12, 607, 803, 909-916
- Amanita atkinsoniana 621; **bisporigera** 621; **brunnescens** 621; **caesarea** 621; **citrina** 621; **crenulata** 621; **farinosa** 621; **flavoconia** 603, 613, 621; **flavorubens** 621; **flavorubescens** 621; **frostiana** 621; **fulva** 613; **gemmata** 621; **inaurata** 621; **muscaria** 613, 621; **parcivolvata** 621; **porphyria** 613, 621; **rubescens** 621; **russuloides** 621; **vaginata** 613; var. **alba** 621; var. **fulva** 621; var. **vaginata** 621; **velatipes** 621; **virosa** 621
- Amauroderma rugosum 925; **sprucei** 923, 925
- Amblyosporium botrytis 7
- Amerosporium 37; **viride** 31, 33
- Amoebidium 164, 165
- Amphinema byssoides 603
- Amphisphaeria 842
- Amphylporia 692
- Anaptychia ciliaris 617; f. **solenaria** 617; **leucomelaena** 617
- Ancylistes 448
- Anguillospora crassa 616; **longissima** 616
- Anisochora corni 847
- Anisostomula 843, 850; **polystigma** 850
- Anixella 97
- Antennularia 857
- Anthracobia melaloma 620
- Aphanomyces euteiches 816-830; **parasiticus** 3
- Apiocarpella macrospora 31
- Apiospora 841, 842; **chondrospora** 846; **petiolicola** 846; **rhodophila** f. **viburni** 847
- Apiosporella 46, 841, 843; **alpina** 851, 860; **cornina** 847; **macrospora** 31; **mimuli** 851, 860; **rhodophila** 841; **rosae** 841; **sepincolaeformis** 841
- Apiosporina 841, 843; **corni** 847
- Apiothyrium 842; **arcticum** 842
- Aplacodina 841, 843; **chondrospora** 846
- Aporpium caryae 603, 621
- Arachniotus aureus 863-872; **candidus** 870; **dankaliense** 870; **flavoluteus** 866, 870; **reticulatus** 870; **ruber** 870; **terrestris** 870; **trachyspermus** 870; **trisporus** 869
- Arcyria cinerea 170
- Armiliariella mellea 621

- Arnaudovia hyponeustonica 447
 Arrhytidia 306
 Arthonia 617
 Arthopyrenia 617
 Arthrimum 516
 Arthroderma 431; cuniculi 432; curreyi 432, 868; multifidum 432; quadrifidum 429-432; tuberculatum 870; uncinatum 430
 Articulospora tetracladia 616
 Ascobolus immersus 763, 767
 Ascochyta graminicola 33; sorghi 31, 33
 Ascoidea **africana** 632-635, 636; **asiatica** 632, 633-636; hylecoeti 632, 633; rubescens 632, 633
 Ascodesmis microscopica 922
 Ascotremella turbinata 620
 Ashbya 263
 Aspergillus 253, 315, 576, 616, 742, 743; **amylovorus** 58, 59; cervinus 350-355, 359; citrisporus 922; flavus 158, 160, 616; fumigatus 158, 160, 273, 274, 280, 281, 576; glaucus 185, 191-194, 805, kanagawaensis 350, 354-362; niger 315, 805, 914, 916; nidulans 616; ne-us 185, 190; nutans 350, 354-357; oryzae 916; parvulus 350, 354-359; pseudoglaucus 185, 193; sydowni 59; umbrosus 185-195; wentii 916
 Asterodon ferrugineum 621
 Asterophora parasitica 613
 Asterostroma 603
 Asterotus dealbatus 603
 Astraeus hygrometricus 603
 Atkinsiella dubia 751-755
 Auricularia auricularis 613, 621
 Auriscalpium vulgare 621
 Azobacter vinelandii 148
- Backusia 813; terricola 810, 811, 814**
 Badhamia gracilis 170, 175, 179
 Baecomyces roseus 617, rufus 617
 Batschiella malbranchei 846
 Bertia moriformis 95, 97, 613
 Bifusella faulii 613
 Bipolaris 121-124, 129
 Bjerkandera adusta 603, 613
 Blastomyces dermatitidis 415, 417
 Bolbitius aleuriatus 603
 Boletellus 313; ananas 310
 Boletinellus paluster 708
 Boletinus 621, 708-710; cavipes 621; ochraceoroseus 708; paluster 621, 708; pictus 621; spectabilis 708
 Boletus 313, 617, 621; aureus 622; auripes 621; edulis 613; subsp. edulis 621; subsp. piniicola 621; glabripes 622; griseus 622; miniato-olivaceus 622; pallidus 603; paluster 708; rubellus 622; separans 622; sibiricus 532; speciosus 622; subvelutipes 622
- Bombardia fasciculata 81; manihotis 93; **macrocarpa 81, 86, 89, 93; costaricensis 79, 80, 94**
 Bondarzewia 692, 785
 Bostrichonema alpestre 616
 Botryosphaeria ribis 13
 Botryotrichum 514; atrogriseum 516
 Botrytis cinerea 616
 Bovista hungarica 631; minor 631; nigrescens 631; pila 603, 622, 631; plumbea 614, 631; tomentosa 631
 Bovistella paludosa 631, radicata 631
 Brachycladium spiciferum 200
 Brauniellula 310
 Bulgaria 306
 Byssochlamys nivea 869, 870
 Byssocorticium atrovirens 603
- Calcarisporium arbuscula 13; pallidum 13; parasiticum 5-16
 Caldesiella ferruginea 614; ferruginosa 622
 Calocera 27; cornea 614, 622
 Calocybe naucoria 622
 Caloplaca elegans 617; marina 617; pyracea 617
 Calvatia candida 631; craniformis 631; cyathiformis 631; fragilis 631; gigantea 70-75, 622, 630; lepidophorum 631; lilacina 631; polygonia 631; rubroflava 631; saccata var. elata 631; tatrensis 631
 Camarosporium 37; berberidicolum 33; caprifolii 34; dianthicolum 33, 34; **eurotiae 33, 34-36; globosum 33, 34; periclymeni 34; polymorphum 34; punctiforme 33, 35; symphoricarpi 34; xylostei 34**
 Campylospora chaetocladia 133
 Candida 254, 576; albicans 701-705; arborea 407; guilliermondii 616; humicola 607, 617; intermedia 607; lipolytica 617; mycoderma 672; parapsilosis 607, 617; pulcherrima 263; reukaufii 262; solani 617; tenuis 617; tropicalis 607; utilis 405-412
 Cantharellus aurantiacus 614; cibarius 614, 622; cinnabarinus 603, 614; clavatus 614, 622; floccosus 614, 622; lutescens 603, 622; tubaeformis 622
 Casaresia sphagnorum 133
 Catathelasma imperialis 622; ventricosus 622
 Catenaria 460
 Catenularia 813; fuliginea 805
Cavosteliaceae 885
Cavostelium 885; apophysatum 885, 886-896
 Cellulosporium 34, 35
 Cephalospora irregularis 133-136, 626; tropica 133, 135, 626-630, 650-655

- Cephalosporium* 617, 891, 893; myco-philum 831-840
Ceracea rickii 306
Ceratiomyxa fruticulosa 612; var. *porioides* 612
Ceratobasidium 699; *cornigerum* 249; *filamentosum* 114
Ceratocystis 16, 793-798; *ambrosia* 796; *fimbriata* 4, 7; ***megalobrunnea* 796-798**; *minor* 796; *minuta* 620, 922; *paradoxa* 920; ***tremulo-aurea* 794-796, 798**; *ulmi* 738-744
Ceratophoma 51
Ceratophorum 127
Ceratosphaeria 89; *mycophila* 88
Ceratostomella stenoceras 796
Cercospora 120, 420; *magnoliae* 53-57
Ceriosporopsis halima 774
Cerrina unicolor 603, 614
Cestodella 165
Cetraria ciliaris 617; *fendleri* 617; *glauca* 617; *islandica* 617; *pinastri* 617; *saepincola* 617
Chaetapiospora 841-843, 855; *islandica* 841, 854; *minor* 856; *rhododendri* 858
Chaetocladium jonesii 1-4
Chaetomium 6; *cochliodes* 922; *dolichotrichum* 922; *thermophile* 273-275; *torulosum* 922
Chaetoporus fimbriatellus 786; ***regularis* 786**; ***similis* 786**; ***vinctus* 786**; ***zonatus* 786**
Chalara 920
Chamononixia 310
Cheilymenia 718-737; ***alleghensis* 720-726, 732**; *calvescens* 730; *coprinaria* 620, 720-735; *crucipila* 720-732; *rubra* 720-726, 735; *stercorea* 719-732; *scubalonta* 728; *theleboloides* 720-734; *vitellina* 720-726, 735
***Chlamydozyma* 257-264**; ***pulcherrima* 256-262, 263**; ***reukaufii* 255-262, 263**; ***zygota* 260-262**
***Chlamydozymaceae* 257**
Chlorociboria aeruginascens 620; *aeruginosa* 613; *rugipes* 620
Choanephora cucurbitarum 9
Chondrostereum purpureum 614
***Chroogomphus* 526-529-549**; sect. *Chroogomphus* 528, 530, 536; sect. ***Floccigomphus* 528, 530**; ***flavipes* 535, 536, 541**; *jamaicensis* 529, 536, 539, 540; *leptocystis* 528-533-536; ***ochraceus* 529, 536, 545-546-549**; ***rutilus* 528-543-549**; ***sibiricus* 528, 530, 533, 535**; ***tomentosus* 528-532-535, 547**; ***vinicolor* 536-539**
Chrysomyxa ledi 614; *ledicola* 614; *pirolata* 614
Chrysosporium 415, 863, 867, 870, 871; *keratinophilum* 876-883; *tropicum* 876, 877
Chytridium parasiticum 3; *suburceolatum* 3
Ciborinia whetzelii 613
Cicinnobolus cesati 1, 2, 8
Cintractia caricis var. *acutatum* 614; *limosa* var. *limosa* 614
Circinella 577
Cirrenalia macrocephala 774
Cladochytrium 3
Cladonia alpestris 617; *bacillaris* f. *clavata* 607; *botrytes* 617; *capitata* 617; *cenotea* 617; *chlorophaea* 617; *chlorophaea* f. *simplex* 607; *coniocrea* 617; *cornuta* 617; *cornuta-radiata* 617; *crispata* 617; *cristatella* 607, 617; *deformis* 617; *digitata* 617; *fimbriata* 617; *furcata* 617; *gracilis* 617; *implexa* 617; *leucophaea* 617; *mitis* 617; *mitrula* 617; *pleurota* 617; *pyxidata* var. *pocillum* 617; *rangiferina* 618; *scabriuscula* 618; *squamosa* 618; *turgida* 618; *verticillata* 618
Cladosporium 6, 14, 803; *cladosporioides* 617
Clasterosporium 127
Cladoderma debaryanum 237
Clavaria 20, 621; sect. *Ornatipes* 20; *argillacea* 24; *bicolor* 20, 21, 27; *fumosa* 622; *ornatipes* 20, 21, 24, 26; *purpurea* 622; *trichopus* 20, 24; *zollingeri* 20
Clavariadelphus fistulosus 614; *ligulus* 622; *truncatus* 614, 622
Clavariella abietina 622; *apiculata* 622; *aurea* 614, 622; *botrytis* 614, 622; *decolorans* 614; *flaccida* 622; *flava* 614
Clavariopsis aquatica 133, 617
Claviceps purpurea 613
Clavicornia cristata 622; *pyxidata* 605
Clavulina 20; subgen. *Euclavulina* 21; subgen. *Fusco-clavulina* 21; *amythestina* 622; *castaneopes* 20-28; var. ***castaneopes* 22, 24-26**; var. ***lignicola* 23-26**; *cristata* 622; *ornatipes* 21
Clavulinopsis appalachiensis 622; *fusiiformis* 622; *pulchra* 622
Clitocybe 614; *adirondackensis* 605, 622; *aeruginosa* 605; *clavipes* 622; *diatreta* 622; *gerardiana* 622; *gibba* 605, 622; *infundibuliformis* 614, 622; *nebularis* 622; *odora* 622; *squamulosa* 614; *tenuissima* 622; *trullaeformis* 622
Clitopilus novaeboracensis 614; *prunulus* 614, 622

- Cochliobolus 66, 121; *cynodontis* 67;
geniculata 778, 779; *intermedius*
200; *lunata* 316; *spiciferus* 198-201
- Coccomomyces 488-497; *anophelesicus*
495; *dodgei* 488-495; *indicus* 495;
notonectae 495, 496; *pentangulatus*
488-496; *stegomyiae* 495
- Coleosporium *asterum* 605, 614; *tussila-*
ginis 614
- Collema 618; *furfuraceum* 618; *tunae-*
forme 618
- Colletotrichum 393-397; *atramentarium*
394-396; *biologicum* 395; *dematium*
394-396; *lycopersici* 395; *maculans*
396; *phomoides* 394-396; *solaniculum*
395; *tabificum* 395
- Collybia *acervata* 622; *butyracea* 614,
622; *cirrhatata* 614; *confluens* 622;
dryophila 605, 614, 622; *familia* 622;
maculata 622; *tuberosa* 614, 622
- Coltricia *perennis* 622
- Comatricha *fimbriata* 170; *pulchella* 170,
172, 180
- Conidiobolus 683-691; *globuliferus* 689;
khandalensis 689; *megalotocus* 687,
689; *stromboidea* 689; *villosus* 689
- Coniochaeta 77; *phalacrocarpa* 78, 79,
93, 94
- Coniophora *arida* 622; *olivacea* 622;
puteana 801, 803
- Coniosporium 34
- Coniothyrium 13, 14, 36
- Coprinus 614, 779; *atramentarius* 614;
comatus 614; *insignis* 605; *sylvaticus*
614
- Coprobria 725
- Cordana *pauciseptata* 922
- Cordyceps *militaris* 620; *ophioglossoides*
620
- Corioli 625; *balsameus* 622; *molliuscu-*
lus 605; *versicolor* 614; *zonatus* 622
- Corticium 605, 614; *cebennense* 622;
decipiens 622; *exilis* 614; *hydngans*
605; *laeve* 622; *niveo-cremum* 622;
stellulatum 622; *stramineum* 249;
sulphureum 622
- Cortinaria *rutula* 543
- Cortinarius *alboviolaceus* 622; *anomalus*
622; *armillatus* 622; *bovinus* 622;
camphoratus 622; *chrysolytus* 622;
cinnamomeus 622; *collinitus* var. *col-*
linitus 622; var. *repandus* 622; *ele-*
gantior 622; *evernius* 622; *flexipes*
622; *gentilis* 622; *infractus* 622; *mala-*
coreus 622; *miniatus* 622; *monta-*
nus 622; *multiformis* 622; *obtusus*
622; *palaceus* 622; *percomis* 622;
pholideus 622; *sanguineus* 614, 622;
semisanguineus 622; *sphagnophilus*
622; *splendidus* 622; *traganus* 622;
uraceus 622; *vibratilis* 622; *violaceus*
622
- Coryne *ellisii* 304; *gyrocephala* 302,
303; *unicolor* 305
- Corynespora 124-130; *bramleyi* 126,
130; *cassicola* 124, 125; *inversum*
126; *olivacea* 122, 126, 130; *pruni*
122, 125; *pulviniformis* 126; *trichiliae*
127
- Corynetes *robustus* 620
- Craterellus *cantharellus* 605; *cornu-*
copioides 605, 622; *odoratus* 605
- Crepidotus 614
- Cribraria *violacea* 170; 237-239
- Crinipellis *setipes* 622
- Cristella *farinacea* 605
- Crocynia *membranacea* 618
- Cronartium *coleosporioides* 784; *co-*
mandrae 99; *ribicola* 614
- Crucibulum *levis* 605, 614, 622
- Cryptomycina *pteridis* 613
- Cryptospora *chondrospora* 844; *limi-*
tata 846
- Cryptosporella *chondrospora* 844
- Cryptosporium *acicola* 103, 104
- Ctenomyces *serratus* 870
- Cudonia *circinans* 613, 620; *lutea* 621;
monticola 613
- Cucurbitaria 35; *astragali* 40
- Curvularia 199; *geniculata* 777-779;
intermedia 199, 200; *lunata* 316, 317;
maculans 199
- Cuspidosporium 122, 124; *cuspidatum*
126
- Cyanocephalum *flavidum* 92
- Cyathus *striatus* 605, 614
- Cylindrosporium *betulae* 617
- Cyphellopsis *anomala* 614
- Cystoderma *aminanthinum* 622; *cinna-*
barinum 622; *contortipes* 622; *fallax*
622; *granulosum* 622
- Cystogomphus 526, 529
- Cytidia *salicina* 614, 622
- Dacrymyces 299; *cupularis* 300; *deli-*
quescens 614; var. *ellisii* 302; f. *radi-*
cata 300; f. *stipitatus* 300; *ellisii* 614;
palmaris 302, 304, 614, 622; *puncti-*
formis 614; *radicatus* 300; *stipitatus*
300
- Dacryomitra 298, 299; *brunnea* 302,
303; *nuda* 299, 300; *stipitata* 300
- Dacryopinax 306; *spathularia* 302, 304
- Dacryopsis 298, 299; *brasiliensis* 299,
303; *ceracea* 304; *culmigena* 304; *elli-*
siana 304; *gyrocephala* 302, 303; *nuda*
299; *palmaris* 304; *typhae* 305; *uni-*
color 305
- Daedalea *quercina* 605

- Daedaleopsis confragosa 605
 Daldinia concentrica 613
 Darluca filum 36
 Dasturella divina 555
 Dasyscyphus 613; agassizii 613, 621;
 arida 613; bicolor 613; pteridis 621;
 willkommii 613
 Deightonella 124; africana 125; arundi-
 nacea 125
 Dendryphon 120
 Dentinum repandum 622
 Dermatocarpon minutum 618; moulinsii
 618
 Dermea balsamea 621
 Diachea **megalospora** 715, 716
 Diaporthe 95
 Diatrype 95; stigma 613
 Dibotryon morbosum 613, 617
 Dictyostelium 887
 Dicyma ambigua 478
 Diderma **darjeelingense** 562, 563; glo-
 bosum 713; **indicum** 564, 565; **mus-
 sooriense** 712, 713; niveum 565;
 ochraceum 564; simplex 563; testa-
 ceum 563
 Didymella 841, 851; corni 847; inaequal-
 is 860; inconspicua 848; macrospora
 860
 Didymium **discoideum** 565, 566; iridis
 170, 174-181, 566; nigripes 181, 182
 Didymosphaeria corni 847
 Dimargaris 6
 Dinemasporium gramineum 37
 Diorchidium acanthostepum 287; **spi-
 nulolum** 286, 287
 Diplocladium majus 607
 Diplocladia 37; **atrobrunnea** 33, 37; **eri-
 trichii** 33, 38; **heterospora** 33, 38;
 luteobrunnea 33, 38; paupercula 33,
 35, 39; pinea 13; **thesii** 33, 39
 Diplogelasinospora 97
 Diplosporium 574
 Dipodascus aggregatus 613
 Disciseda calva 631; candida 631
 Dispira cornuta 1, 2, 6; simplex 6
 Ditiola 298-308; albizziae 306; con-
 formis 305; fagi 299; obliqua 306;
 merulina 306; nuda 298-303; para-
 doxa 305; phyllogena 305; radicata
 298-302; var. **gyrocephala** 302, 303;
 var. radicata 303; rickii 306; shopei
 305; culcata 306; ulicis 306; volvata
 305
 Dothiorella 13
 Dothiostroma pini 104, 106; var. **linearis**
 105-107, 108; var. **pini** 106, 107
 Drechslera 120-124, 129
 Eccrinopsis mercieri 165
 Echinostelium minutum 180, 237
 Elaphomyces 620
 Emmonsia 374-382; crescens 374, 375,
 381, 382, 415-419; parva 374, 375, 381,
 382, 415-418
 Empusa 689
 Endogone 342, 343; fasciculata 347
 Endoptychum agaricoides 631
 Endosporostilbe nilagirica 920
 Endothia 95
 Enterobryus attenuatus 163; borariae
 165; dixidesmi 165
 Enteromyces callianassae 165
 Entoloma variabile 622
 Entomophthora 683-691; apiculata 683;
 coronata 418, 683, 689; grylli 684,
 688; kansana 684, 690; muscae 683-
 691; pseudococci 683, 685; sphaero-
 sperma 683, 685
 Entophlyctis 448
 Eremothecium 263
 Erysiphe cichoracearum 232-236, 613;
 graminis 234, 613; polygoni 235
 Escherichia coli 150
 Eutypa 95
 Evernia mesomorpha 618
 Exidia glandulosa 622; nucleata 327-
 341, 622; saccharina 622
 Exobasidium vaccinii 614
 Exosporium 124-127, 130; ampullaceum
 126; cantareirensis 126; coonoorensis
 126; extensum 126; inversum 126;
 leptoderridicola 126; maculans 396;
 natrassii 126; phyllanthum 126;
 pteroearpi 126; stilbaceum 126; tiliac
 125, 126, 130
 Favolus alveolarius 605
 Femsjonia luteoalba 302, 305, 306, 622
 Fistulina 923
 Flagellospora curvula 617
 Flammula carbonaria 623; myosotis
 623; sapinea 623; scamba 623
 Fomes 693; fomentarius 614; ligneus
 693; pini 786, 787, 801
 Fomitopsis 693; pinicola 614; subrosea
 623
 Fuligo cinerea 170-181; septica 170, 176,
 182, 612, 620, 621
 Fusarium 112, 113, 642, 645-648, 914;
 sect. Arthrosporiella 113; sect. Dis-
 color 113; sect. Gibbosum 113; sect.
 Roseum 113; oxysporum 779; f. cu-
 bense 701, 702, 705, 706; semitectum
 705; stilboides 646
 Fusicladium 617
 Fuscoboletinus 708-711; aeruginascens
 623; glandulosus 623; ochraceosus
 710; **paluster** 708-711; sinuspauli-
 anus 623; spectabilis 623

- Galerina allospora* var. *laurentiana* 623;
borealis 623; *cainii* 623; *carbonicola*
 623; *cerina* var. *ampullicystis* 623;
 var. *bresadolae* 623; var. *cerina* f.
cerina 623; var. *longicystis* 623;
decipiens var. *decipiens* 623; var.
separans 623; *dimorphocystis* 623;
evalata var. *evalata* 623; var. *fulvipes*
 623; *fallax* f. *fallax* 623; f. *sub-*
filiformis 623; *hypnorum* f. *hypnorum*
 623; *jaapii* f. *mamillata* 623; *luteo-*
sperma 623; *mnioiphila* 623; *mycenop-*
sis var. *subalpina* 623; *paludosa* 623;
perlexa 623; *proxima* 623; *sahleri*
 623; *septentrionalis* 623; *sphagnicola*
 623; *stagnina* 623; *stylifera* var. *badia*
 623; *subbadipes* 623; *subcerina* var.
subcerina 623; *subfiliformis* var. *cu-*
collata 623; var. *pallidipes* 623; *tibii-*
cystis 623; *triscopa* var. *triscopa* 623;
vexans 623
Ganoderma 617; *applanatum* 605, 614;
rugosum 925; *sprucei* 923
Gastroboletus 310-313; ***fascifer* 310-313**
Gautieria 310
Gelasinospora 97; *tetrasperma* 613
Geoglossum nigritum 621
Geomyces 415
Geopyxis carbonaria 621
Geotrichum 871
Gerronema fibula 605
Gibberella acuminata 112; *intricans*
 112; *roseum* f. *cerealis* 110-113; *zeae*
 110, 113
***Gilmaniella* 514-518; *humicola* 514-**
518
Gliobotrys 314
Gliocladium 813; *penicilloides* 617;
roseum 4, 7, 8
Gliomastix 516
Gloeocystidiellum porosum 249, 623
Gloeocystidium caliciferum 623
Gloeophyllum sepiarium 614; 623
Gloeoporus dichrous 605
Gloeosporium 393; *coryli* 617; *obtegens*
 617
Gloeotulasnella 698, 699
Gnomonia ulmea 603
Gnomoniella coryli 613
Gomphidius 526-530; sect. *Flocci-*
gomphus 530; subgen. *Chroogomphus*
 526-529; subgen. *Gomphidius* 526-
 528; subgen. *Laricogomphus* 526, 527;
alachuans 539; *flavipes* 527, 541-
 543; *glutinosus* 547, 623; *jamaicensis*
 539; *leptocystis* 533; *litigiosus* 543;
maculatus 527, 614; *ochraceus* 546;
 subsp. *muscigenus* 543; subsp. *su-*
periorensis 543; *purpurascens* 543;
rutilus 543, 623; subsp. *alabamensis*
 543; var. *fulmineus* 545-549; *pulcher*
 543; *septentrionale* 623; *sibiricus* 530;
superiorensis 543; *testaceus* 543; *to-*
mentosus 531, 532; *vinicolor* 536;
 subsp. *californicus* 536, 539, 540;
 subsp. *jamaicensis* 539, 540; *viscidus*
 543; var. *columbiana* 543
Gomphus clavatus 614
Gonatobotrys simplex 5, 6, 8, 12-16
Gonatobotryum fuscum 5-8, 13, 16, 17
Gongronella 568-601; *butleri* 570-575;
lacriscpora 571; *urceolifera* 569, 571,
 574
Grandinia farinacea 623
Graphium 5, 13, 16
Guepinia merulina 306
Guepiniopsis 306; *alpina* 305
Guignardia bidwellii 13; *magnoliae* 56
Gymnoascus aureus 863, 866, 867; *cal-*
trop 478; *gypseum* 427-433; *reessii*
 430, 867, 869
Gymnopilus bellus 623; *junonius* 623;
picreus 605, 623; *sapineus* 623; *spec-*
tabilis 605, 623
Gymnosporangium cornutum 614; *glo-*
bosum 605
Gyrocephalus rufus 614, 623
Gyrodon merulioides 605
Gyromitra 780; *esculenta* 621
Gyroporus castaneus 623; *cyaneus*
 605, 623
Haliphthoros milfordensis 749-751, 754
Halosphaeria mediosetigera 774
Hansenula 259, 398-414; *angusta* 408;
anomala 408; *beckii* 408; *beijerinckii*
 408, 603; *californica* 408, 613; *cana-*
densis 408, 613; *capsulata* 408, 613;
ciferrii 408, 410; *holstii* 408, 613;
jadinii 405-409, 412; *minuta* 408;
mrakii 408; ***petersonii* 400-404-411;**
saturnus 408; *silvicola* 408; *suave-*
olens 408; *subpelliculosa* 407, 408;
wingei 408
Hapalopilus gilvus 614; *nidulans* 605
Haplosporangium parvum 417
Helicobasidium purpureum 114
Helicodendron 315
Helicostylum 9, 570
Heliscus aquaticus 133; *longibrachiatus*
 617; *lugdunensis* 617
Helminthosporium 119-132, 578; sub-
 gen. *Cylindro-Helminthosporium* 120-
 123, 129; subgen. *Euhelminthosporium*
 120-126, 129, 200; subgen. *Helmintho-*
sporium 122-125, 129; *asterinum* 122-
 125; *avenaceum* 120, 121; *avenae* 120;
bicolor 68; *carbonum* 68, 201; *cate-*
narium 119; *cynodontis* 64-69, 201;
dematioidium 121; *giganteum* 120,
 122; *gramineum* 654; *guareicola* 129;
helleri 129; *hadrotrichoides* 119, 122;

- halodes 200; holmii 200; leersiae 201; maydis 121-124, 201; micropus 200; monoceras 200; oligosporum 122-125; oryzae 201; papulosum 125; pruni 122-125; ravenelii 119; rostratum 68, 200; rousselianum 128; sativum 121; setariae 68; sigmoideum 128; solani 122-124; sorokinianum 121, 201; spiciferum 68, 196-201; stilbaceum 127; teres 120; tiliae 122, 123; torulosum 124, 125; triseptatum 122; tritici-repentis 120; turcicum 68, 200, 775-777; velutinum 119-123; victoriae 68
- Helmisporium 123
- Helotium 298, 613; citrinum 613; destructor 621; epiphyllum 621; fraterium 621; radicum 299; separabilis 621
- Helvella elastica 621
- Hendersonia 33, 38; astragali 33, 39, 40; crastophila 43; culmicola 41; dickasonii 33, 40; erigerontis 33, 40; eurotiae 33, 40; fuckelii 33, 41; graminis 617; herpotricha 41, 43; kerguelensis 33, 41; secalina 33, 38, 41, 43
- Hericium coralloides 623; laciniatum 623
- Heterosporium 119; phlei 617
- Hirschioporus abietinus 605, 614, 623; pargamensis 614
- Histoplasma capsulatum 415, 662-671
- Hohenbuehelia angustata 605
- Holwaya gigantea 304
- Humaria crucipila 730, 731; stellata 721, 730, 731; theleboides 733, 734
- Humicola 271, 276, 514-517; grisea 276; var. thermoideus 270, 274-276; insolens 270, 274, 276; lanuginosus 274, 275; nigrescens 276
- Hyalospora aspidotus 614; cheilanthis 614
- Hyalostachybotrys 313-316; bisbyi 313, 315; sacchari 313, 315
- Hydnellum caeruleum 623; geogenium 614, 623; suaveolens 615; velutinum 623; zonatum 623
- Hydnochaete olivacea 605
- Hydnum 614; crassum 612, 614; scrobiculatum 614; stereoscarcinon 614
- Hydopus marginellus 623
- Hygrophoropsis aurantiaca 605, 615, 623; umbonata 623
- Hygrophorus ceraceus 623; coccineus 623; erubescens 623; flavescens 623; laetus 605; f. pallidus 605; olivaceo-albus 623; puniceus 623; speciosus 623; turundus 623; var. sphagnophilus 623
- Hymenochaete 453-455, 605; agglutinans 454; cinnamomea 454; tabacina 454, 605, 615
- Hypoderma setigerum 605
- Hypodontia aspera 605; crustosa 615
- Hypochnella violacea 605
- Hypocrea aurantiaca 621; ceramica 621; patella 621; pulvinata 613; riccioidea 455; rufa 621
- Hypocreopsis 453-455; lichenoides 454, 455; rhododendri 454, 455; riccioides 455
- Hypodermella 761; medusa 757
- Hypomyces armeniacus 621; chrysospermus 621; hyalinus 621; lactiflorum 621; latericius 621; luteovirens 613, 621; viridis 621
- Hypoxydon 95, 603; fuscum 613; mammatum 369; multifforme 613; pruina-tum 369-373
- Hysterographium 617
- Ichmadophila ericetorum 618
- Inocybe 615; armoriacea 623; fastigiata 615; geophylla 623; lorillardiana 623; praetervisa 615; pyriodora 605
- Inonotus dryophylus 605; radiatus 605
- Ionomidotis irregularis 621
- Irpiciporus lacteus 605, 615
- Isaria agaricina 626
- Ischnoderma resinosa 605, 615, 623
- Jensenia 506; canicruria 505-512
- Kabatia lonicerae var. americana 617
- Karlingia rosea 3
- Keratinomyces ajelloi 876, 877, 881
- Kriegeria enterochroma 613
- Laccaria laccata 605, 615, 623; ochropurpurea 605, 623; tortilis 623
- Lachnea 718; ascoboloides 733; coprinaria 728; crucipila 730; dalmeniensis 735; pediseta 729; rubra 735; scubalonta 727; stercorea 727; theleboides 733; vitellina 735
- Lachnocladium 20; bicolor 20, 21, 24; ornatipes 21, 26
- Lactarius 202, 228; affinis 623; camphoratus 204, 210, 211, 623; chrysorrhacus 623; cinereus 605; deceptivus 623; deliciosus 615, 623; glyciosmus 623; griseus 623; helvus 623; hibernariae 623; hyssiginus 623; lignyotus 615, 623; mutabilis 605; necator 623; obscuratus 624; resimus 624; rufus 624; sanguifluus 615, 624; subdulcis 624; theiogallus 615, 624; thynios 624; torminosus 621, 624; trivialis 605, 615; turpis 624; avidus 624; vellereus 615; volemus 605

- Laestadia celata* 850; *leucothoës* 857; *magnoliae* 56; *polystigma* 850
Laeticorticium pini 624
Lagenidium 748, 749
Lagenidium callinectes 747-750; *chthamalphilum* 749, 754
Lasiobolus 728
Lasiosphaeria chrysentera 79, 83, 89, 93-96; *hirsuta* 603; *hispida* 94; *lapaziana* 82, 89, 90, 93-96; *mycophila* 88, 89, 93; *noonaedaniae* 86, 87, 89, 94-97; *ovina* 84, 93-96; *pyramidata* 84, 93; *raciborskii* 82, 89, 91, 93-96; *spermoides* 89, 95; *tuberculosa* 79, 82, 85, 88, 94
Lecanora dispersa 618; *subfuscata* 618; *sylicola* 618
Lecanosticta acicola 103, 104, 108
Leccinum aurantiacum 615, 624; *chromapes* 624; *rubropunctum* 624; *scabrum* subsp. *niveum* 624; subsp. *scabrum* 615; var. *scabrum* 624; *subglabripes* 624; *testaceo-scabrum* 624
Lecidea albocorerulescens 618
Leiosphaerella 842, 843
Lemonniera aquatica 617; *brachycladia* 617
Lentescospora submarina 772
Lentinellus cochleatus 615, 624
Lentinus lepideus 801
Lentodium squamosum 605
Lenzites abietis 614
Leotia chlorocephala 621; *lubrica* 621
Lepiota acutesquamosa 605, 624; *brunescens* 624; *clypeolaria* 624; *cristata* 605; *fuscusquammea* 624
Lepraria latebrarum 618
Leptogium cyanescens 618; *lichenoides* 618; *saturninum* 618
Leptographium 16
Leptosphaeria 613; *dolichospora* 44; *eustoma* 44, 49; *punjabensis* 40; *salvini* 128
Leptostroma decipiens 103, 105, 108
Leptothyrium caricis 47
Le-Ratia 310
Leucoagaricus rubrotinctus 605
Leucopaxillus albus 624
Licea biforis 237-239; *kleistobolus* 170; *parasitica* 237
Lichtheimia 569, 575
Lignicola laevis 774
Lilliputia 813
Limacella glischra 624; *illinita* 624
Lobaria pulmonaria 618; *quercizans* 618; *scrobiculata* 618
Longia texensis 70, 631
Lophodermium 757-762; *decorum* 761; *macrosporum* 761; *pinastri* 108, 761; *pinicolum* 761; *ponderosae* 757-762
Lulworthia 774
Lunulospora curvula 133
Lycoperdon 70-76, 615; *candidum* 631; *coloratum* 631; *curtisii* 70-72, 630; *decipiens* 631; *echinatum* 70, 630, *erictorum* 631; *foetidum* 631; *gemma-tum* 70, 630; *mammiforme* 631; *marginatum* 70-72, 630; *molle* 631; *nigrescens* 70, 630; *oblongisporum* 631; *pedicellatum* 631; *perlatum* 624, 631; *pratense* 70, 630; *pulcherrimum* 631; *pusilliforme* 631; *pusillum* 70-75, 624, 630; *pyriforme* 70, 630; *spadicum* 631; *subincarnatum* 624; *umbrinum* 70, 613, 615, 630
Lyophyllum 624; *aggregatum* 624; *ambustum* 624
Macrophomina phaseoli 114
Macrolepiota procera 605
Malbranchea 871
Mamianiella coryli 613
Marasmius 615; *androsaceus* 615, 624; *cohaerens* 605; *chordalis* 624; *delectans* 605; *oreades* 615, 624; *rotula* 615, 624; *scorodinus* 624; *siccus* 605, 624
Mastigosporium rubricosum 612, 617
Melampsora epitea 615; *medusae* 615; *abietis-canadensis* 615
Melampsorella caryophyllacearum 615
Melanoleuca alboflavida 605, 624
Melanospora 384, 613; *chionea* 621; *lagenaria* 621
Melastiza charteri 725, 732
Merismodes fasciculatus 615
Merulius 615; *aureus* 624; *fugax* 624
Metabourdotia 696-699
Metschnikowia 254, 259, 261, 264; *bicuspidata* 259, 263-265; *krissii* 264; *zobellii* 264
Micomphale foetidus 624
Microdiplodia 37; *diervillae* 39; *escalarae* 39; *handelii* 39; *intermedia* 39; *symphoricarpi* 39
Micromonospora 279, 506-511; *vulgaris* 272
Microsporum canis 877, 883; *cookei* 431; *gypseum* 425-435, 873, 876, 877, 880, 881; var. *nana* 873; *nanum* 432, 873-884; *vanbreuseghemii* 429, 432
Mitothyridium 448
Mitula irregularis 621
Mollisia 331; *incrustata* 621
Monacus ruber 812, 813
Monilia 805-808; *albo-violacea* 806; *arnoldi* 806; *fusca* 805; *geophila* 806; *niger* 805; *nigra* 805; *sitophila* 390, 805
Monoblepharis 438

- Monocillium humicola* 498-504; var. **brunneum** 498-503; var. *humicola* 499-503
Monospora bicuspidata 263
Monosporium spinosum 607
Monotopora daleae 617; *lanuginosa* 275
Morchella 117
Mortierella isabellina 361; *pusilla* 9-11; *vinacea* 361
Mucor 4, 8, 9, 577, 586, 588, 612; *angulosporus* 612; *circinelloides* 905; *hiemalis* 922; *murorum* 158, 160; *plumbeus* 612; *pusillus* 277; *raman-nianus* 11; *sacchari* 568, 569; *vesicu-losus* 571, 574, 575
Mutinus caninus 615
Mycena alcaliniformis 624; *amabilissima* 624; *corticola* 624; *fibula* 624; *galeri-culata* 605, 624; *galopoda* 624; *haema-topoda* 605, 624; *hemisphaerica* 605; *incarnatifolia* 605; *inclinita* 605; *leaiana* 605, 624; *latifolia* 624; *macu-lata* 624; *psammicola* 624; *pura* 624; *rubromarginata* 624; *strobilionoides* 624; *tenax* 624; *tenuiceps* 624
Mycenastrum corium 631
Mycocacia himantia 605
Mycobacterium 508; *friburgensis* 507-512; *rabinowitsch* 507, 509; *rhodo-chrous* 505-512; *smegmatis* 505-512; *stercoides* 511
Mycocladus 568, 569, 575; *altaini* 577, 591, 595; *verticillatus* 576
Mycoderma vini 672-682
Mycophetodon fimbriata 605
***Mycomedusospora* 91, 96; *flavida* 82, 92, 95**
Mycosphaerella 53, 772; *annulata* 56; *glauca* 55, 56; *leucothoes* 857, 858; *lycopodina* 852; *magnoliae* 56; ***milleri* 53-56; *tulipiferae* 56**
Mycotypha microspora 9
Myrioblepharis 436-440
Myriostoma coliforme 605
Myxotrichella 476; *cancellata* 474
Myxotrichum 482, 483, 486; *aerugino-sum* 478, 479, 482; *cancellata* 473-481; *carminoparum* 482; *chartarum* 473, 480-485; *deflexum* 482; *ochraceum* 479, 482; *setosum* 479, 482; *spinosum* 473-482; *stipitatum* 482
Myzocyttium 448

Naucoria centuncula 605; *cidaris* 624; *myosotis* 624; *radicosum* 624; *serru-lata* 606; *udum* 624
Nannizzia cajetana 430; *grubya* 429-433; *gypsea* 433; *incurvata* 427-433; *obtusata* 432, 874, 877-879
Nectria 95, 613; *cinnabarina* 613, 621; *episphaeria* 613
Nectriopsis violaceus 620, 621
Nematoloma dispersum var. *dispersum* 624; var. *flavifolium* 624; *elongatipes* 624; *fasciculare* 624
Nematospora 263
Neobulgaria pura 336
Neotiella ascoboloides 733
Nephroma laevigatum 618; *parile* 618
Neurospora 372, 384-392, 839; *crassa* 143, 148-150, 158, 160, 335, 373, 384, 391, 519; ***dodgei* 385-392**; *erythraea* 384; *intermedia* 384; *sitophila* 384; *terricola* 384, 385, 390, 391; *tetra-sperma* 384, 391, 519-525; *toroi* 384, 390, 391
Nocardia asteroides 505-512; *brasili-ensis* 271, 505-512; *corallina* 505-512; *farcinica* 505-511; *madurae* 507-509; *paraguayensis* 507, 509; *rubra* 505
Nowakowskiella 3; *profusum* 3
Nummularia tubulina 603
Nyssospora clavellata 615

Octospora paradoxa 305; *scutellata* 728
Odontia 615; *arguta* 606, 624; *aspera* 624; *bicolor* 624; *crustosa* 624; *fimbri-ata* 624; *fusco-atra* 624; *spathulata* 606; *uda* 606
Oidiodendron 474, 478, 479; *ambiguum* 478
Oidium morgani 249; *ochraceum* 607; *ramosissimum* 607; *simile* 607
Olpidiopsis 3; *incrassata* 16, 17
Olpidium 3
Omphalina 622; *ericetorum* 624
Omnia tomentosa 624
Oospora halophila 805, 807; *nikitinskii* 805-807; *saccharina* 805, 807; *vari-abilis* 617
Ophiobolus 66, 91, 198, 199; *herpotri-chus* 41
Ophiochaeta raciborskii 91
Ophionectria flavida 92
Ophiostoma 796
Orbilina paradoxa 621
Otidea alutacea 621; *leporina* 621; *ono-tica* 621
Oudemansiella radicata 606; var. *fur-furacea* 606
Oxydantia fragilissima 606
Oxyporus populinus 606

Paecilomyces 277, 315, 870; *carneus* 922; *variati* 617
***Palavascia* 318, 319; *beaufortae* 318, 319; *philosciae* 318**
Panaeolus campanulatus 624; *solidipes* 624; *sphinctrinus* 624
Panellus stypticus 606, 624; *violaceo-fulva* 624

- Pannaria pezizoides* 618; *rubiginosa* 618
Panus rudis 615; *tigrinus* 606
Papularia 516
Papulospora stoveri 7
Paracoccidioides brasiliensis 415, 418
Parasitella simplex 1, 3, 4
Parataeniella 163-169; **armadillidii** 163-168; *binucleata* 165; *dilatata* 165; *intermedia* 165; *mercieri* 165
Parmelia conspersa 618; *crinita* 618; *exasperatula* 618; *olivacea* 618; *physodes* 618; *rudecta* 618; *saxatilis* 618; *subaurifera* 618; *sulcata* 618; *tubulosa* 618
Parmeliopsis ambigua 618; *hyperopta* 618
Passalora tephrosiae 420-422
Patella 718; *abundans* 922; *albida* 621; *coprinaria* 613, 729, 730; *crucipila* 730; *lutea* 727; *michiganensis* 721, 729, 730; *scutellata* 613; *setosa* 603; *stercorea* 727
Paxillus involutus 615, 624
Paxina hispida 621
Pellicularia filamentosa 337; *isabellina* 606; *lembospora* 615; *subcoronata* 615, 624; *vaga* 615, 624
Peltigera aphthosa 618; var. *leucophlebia* 618; var. *varilosa* 618; *canina* 618; var. *rufescens* 618; var. *spuria* 618; *evansiana* 618; *horizontalis* 618; *lepidophora* 618; *polydactyla* 618; *scutata* 618
Penicilliopsis 813
Penicillium 315, 576, 578, 617, 805; *chrysogenum* 143-152, 158-161; *duponti* 277; *griseofulvum* 158, 160; *janthinellum* 922; *lilacinum* 617; *nigricans* 361; *paxilli* 922; *radulatum* 361; *steckii* 922; **ucrainicum** 59, 60; *urticae* 158; *vermiculatum* 60
Peniophora 615; *affinis* 606, 615, 624; *argillacea* 624; *aspera* 615, 624; *aurantiaca* 615; *byssoides* 615, 624; *calothrix* 624; *carnosa* 615; *cinerea* 606, 615, 624; *cremea* 606; *filamentosa* 606, 615; *flavido-alba* 606; *gracillima* 615, 624; *greschikii* 624; *incarnata* 606, 615; *juniperina* 624; *longispora* 615; *ludoviciana* 606; *nuda* 624; *pallidula* 624; *pithya* 624; *polygonia* 624; *pseudopini* 801; *pubera* 624; *rufa* 615, 624; *sanguinea* 615, 624; *septentrionalis* 624; *subalutacea* 615, 624; *subulata* 615; *tenuis* 624; *velutina* 606, 624; *violaceo-livida* 624
Perenniporia 694
Periconia typhicola 43
Peridermium harknessii 782-785; *stactiforme* 783, 784
Peronospora 689; *caki* 613
Pertusaria amara 618
Pezicula acericola 613, 621; *carnea* 621; *carpinea* 305
Peziza 298, 613; *ascoboloides* 733, 734; *badia* 613; *coprinaria* 728, 730; *crucipila* 721, 730, 731; *dalmeniensis* 735; *rubra* 735; *scubalonta* 719, 727, 730; *stercorea* 726, 728; *sylvestris* 613; *theleboloides* 733, 734; *turbo* 299; *vitellina* 735, 736
Phacidium infestans 621
Phaeocollybia jenniae 625
Phaeolus schweinitzii 615, 625
Phaeomarasmius confragosus 625
Phaeoscopariopsis atro-grisea 60, 61
Phaeoseptoria dolichospora 42, 44, 49
Phellinus everhartii 606; *ferreus* 615; *ferruginosa* 606; *gilvus* 606; *igniarius* 615; *isabellinus* 606; *laevigatus* 615; *pini* 615, 625
Phellodon alboniger 625
Phialophora jeanselmei 617
Phlebia 621; *guttulifera* 606; *hydroides* 606; *radiata* 606; *subseriale* 606
Phlebiella candidissima 606, 615, 625
Phlebopus 136
Phleospora aceris 617
Pholiota albocrenulata 625; *curvipes* 606; *flammans* 625; *limonella* 625; *lubrica* 625; *polychroa* 606; *squarrosa* 625; *squarrosoides* 625; *vermiflua* 615
Phoma 44, 803; **anaphalidis** 44; **arenariae** 44; **convolvuli** 44; **crotolariae** 45; *graminella* 45; *pannonica* 45; *pedicularis* 47; var. *minor* 45; *potentillae* 46; *sporia* 46; **thesii** 46; **tridacis** 46
Phragmidium andersonii 615; *potentillae* 615
Phragmopyxis acuminata 287; *deglubens* 288; **noelii** 286, 287, 288
Phycomyces 568; *blakesleeanus* 9
Phylloporus rhodoxanthus 606, 625
Phyllosticta 617; *solitaria* 652
Phyllostictina 47; **calamagrostidis** 46
Physalacia inflata 625
Physalospora agrifolia 849; *citrispora* 846; *glandicola* 13; *ilicis* 10-14; *malbranchei* 846; *necans* 852; *obtusa* 5, 10-15; *quercifolia* 851, 860, 861; *rhodina* 12-14; *vaccinii* 854
Physarella oblonga 180, 550-554; f. **alba** 553
Physarina echinocephala 714, 715; **echinospora** 713-715
Physarum cinereum 180; *compressum* 170, 179, 180; *diderma* 562; *didermoides* 182; *gyrosum* 170-184; *leucopus* 612; *polycephalum* 170, 179; *pusillum* 181; **spinulosum** 561, 562

- Physcia adscendens* 618; *aipolia* 618; *marina* 618; *orbicularis* 618; *tenella* 618
Phytophthora 642, 689; *cinnamomi* 436
Pichia farinosa 613
Piedraia hortae 456; *quintanilhae* 458
Pilobolus 6; *kleinii* 363-368
Piptocephalus 4, 6, 8; *freseniana* 1; *virginiana* 5, 8-13; *xenophila* 5, 8, 13
Piptoporus betulinus 613, 615
Pisolithus tinctorius 319, 631
Pistillaria 615; *culmigena* 304; *pusilla* 615
Platycarpium cyperacearum 47
Platyglœa peniophorae 625
Plectonaemella koelzii 42, 47
Pleolpidium 3
Pleospora curvasca 34, 36; *helvetica* 35; *herbarum*, 35, 37, 613; *media* 35
Pleotrachelus 3
Pleurae appendiculata 94
Pleurocybella porrigens 615
Pleurophragmium 119, 128-130; *bicolor* 128; *capense* 129; *dorycarpum* 129; *guareicola* 129; *maculosum* 129; *rousseianum* 128; *scopaeforme* 129; *palmetto* 129; *simplex* 128; *subuliferum* 128
Pleurotus ostreatus 625; *porrigens* 625
Plicaria trachycarpa 621
Plicatura faginea 625
Pluteus 615; *admirabilis* 606; *cervinus* 615, 625; *chrysophaeus* 606; *flavo-fuliginosus* 625; *fuliginosus* 615; *longistriatus* 606; *seticeps* 606
Podophacidium xanthomelum 621
Podoporia sanguinolenta 615
Podospora 95, 97; *comatospora* 93
Podosphaera 621, 763, 767; *clandestina* 765
Podosporiella 122, 124
Podostroma alutaceum 621
Pollaccia radiosa 613
Polynema 37
Polyozellus multiplex 625
Polyphagus 441-451; *asymmetricus* 447; *elegans* 447; *euglenae* 442-450; *laevis* 442, 446, 449, 450; *serpentinus* 447; *starrii* 443-447, 448
Polyphilus frondosus 625
Polyporus sect. *Amaurodermus* 923; *albellus* 621; *abietinus* 801; *amorphus* 615; *balsameus* 615; *brumalis* 625; *elegans* 606, 615, 625; *fimbriatellus* 786; *fraxinophilus* 694; *hirtus* 615; *hornoderms* 693, 695; *ligneus* 695; *mollisculus* 625; *ochroleucus* 692; *picipes* 615; *radicatus* 606; *ramosus* 444, 446, 448; *tulipiferae* 605, 615; *versicolor* 337; *vinctus* 786
Poria 606, 615, 692-695, 785, 786; sect. *Poria* 694; sect. ***Pseudoamyloporia*** 694; *alabamæ* 785; *aneirina* 606; *avellanea* 785; *carneopallens* 695; *corticola* 606; *europa* 606; *fatiscens* 606; *fimbriatella* 786; ***fraxinophila*** 694; *lenis* 694; ***lignea*** 694, 695; *medullaris* 692, 694; *medulla-panis* 692, 694, 785; *mollusca* 625; *monticola* 801; *myceliosa* 785; *nigrescens* 606, 625; *obliqua* 695; *ochroleuca* 692, 694; *ohiensis* 692, 694; *oleracea* 606, 607; *overholtsii* 606; *pannocincta* 606; *radiculosa* 606; *regularis* 786; *rufa* 803; *sanguinolenta* 606; *similis* 786; *subacida* 695; *subargentea* 695; *tenuis* 695; *undata* 606; *unita* 606, 694; *versipora* 606; *vincta* 695, 786; *vulgaris* 606; *weirii* 799, 801, 803; *zonata* 786
Porotheleum fimbriatum 606; *rugosum* 923-926
Proabsidia 575; *saccardoi* 568
Protoabsidia 569, 575
Protostelium 885, 895; *mycophaga* 886
Psathyrella arenulina 606; *candolleana* 625; *hydrophila* 625; *hymenoccephala* 606; *lepidota* 606
Pseudapiospora 841, 843; *corni* 847; *lycopodina* 852; *moravica* 852; *necans* 852; *sibirica* 848
Pseudeurotium ovalis 62; ***punctatum*** 61, 62; *zonatum* 62
Pseudo-Absidia 569, 575
Pseudoarachnoidius 153-157, 868; *echinulatus* 153; ***punctatus*** 153-157
Pseudocoprinus disseminatus 336
Pseudocyphellaria crocata 618
Pseudofistulina 923
Pseudogymnoascus 867
Pseudohydnum gelatinosum 615, 625
Pseudolpidium 3
Pseudomassaria 841-862; *agrifolia* 842-845, 849, 852; *chondrospora* 842-848; *corni* 842-848, 853; ***erumpens*** 844, 845, 853, 854, 857; *fallax* 846, 847, 853; *foliicola* 844, 849, 851, 853; *inconspicua* 842-849, 856; ***islandica*** 844, 851, 854, 856; *leucothoës* var. ***borealis*** 844, 851, 858; var. ***gaultieriae*** 844, 851, 859; var. *leucothoës* 844, 851, 857, 858; *lycopodina* 844, 851-853; ***minor*** 844, 851, 854, 856, 857; *necans* 852; ***occidentalis*** 842, 844, 845, 848, 849, 853; ***oxydendri*** 844, 851, 854, 857; *polystigma* 842, 844, 845, 850, 853, 861; *quercifolia* 860; *sepincolaeformis* 841, 846, 847; *thistletonia* 858
Pseudomonas 342

- Pseudonocardia thermophila* 271
***Pseudotulasnella* 696-700; *guatemalensis* 697-700**
Psilocybe atrobrunnea 625; *silvatica* 625
Puccinia asteris 616; *amphigena* 606; *bistortae* 616; *cacao* 555; *caricis* var. *uniporula* 616; *chrysopogi* 555; *cruciferarum* 240-248; subsp. ***borealis* 241-246**; subsp. *cruciferarum* 241, 244, 245; subsp. ***nearctica* 242, 243-246**; subsp. ***wyomingensis* 243-245**; *graminis* var. *tritici* 915; *heucherae* var. *heucherae* 616; *hieracii* 606, 616; *kuhniae* 606; *linkii* 616; *mesomajalis* 616; *penniseti* 555; *podophylli* 452, 453; *polygami-amphibii* 606; *porphyrogenita* 616; *punctiformis* 616; *ribis* 616; *septentrionalis* 616; *sporoboli* 606; *versicolor* 555; *violae* 606, 616; *windsoriana* 606
Puccinistrum 616; *agrimonae* 616; *epilobii* 616; *geopertianum* 616, 625; *pyrolae* 616
Pulveroboletus sect. *Sulphurei* 136; *aureiporus* 625; *retipes* 625
Punctularia strigoso-zonata 625
Pycnoporellus fibrillosus 616
Pyrenophora 120, 121
Pythium 7, 642, 689; *carolinianum* 436; *proliferum* 3

Radulum orbiculare 616; 625
Ramalina dilacerata 618; *farinacea* 618; *roesleri* 618
Ramaria invalii 622; *pusilla* 625
Ramariopsis kunzei 625
Ramularia rubella 617
Ravenelia cumminsii 285-287; *epiphylla* 606; *roemerianae* 285
Remispora cucullata 770-774; *hamata* 772; *maritima* 772; *quadri-remis* 772; *stellata* 772; *trullifer* 772
Resupinatus applicatus 606; *atropellitus* 616
Reticularia lycoperdon 170, 172, 176, 177, 181, 182, 612
Rhabdospora kirghisorum 42, 48
Rhizidiomyces 3, 740, 743
Rhizidium richmondense 3
Rhizoctonia bataticola 114; *crocorum* 114; *hiemalis* 114-118; *solani* 1, 7, 114, 117, 337; *tabifica* 395
Rhizophagus 342
Rhizopogon 310, 631; *roseolus* 625
Rhizopus, 568, 577, 613, 901; *homothallicus* 899; *nigricans* 9; *oryzae* 914; *sexualis* 899
Rhodocybe mundulus 625; *nitellina* 625; *parilis* 625
Rhodophyllus abortivus 625; *byssisedus* 625; *lividus* 625; *salmonaeus* 625; *sericeum* 616; *sinuatus* 625; *strictior* 606; *strictus* 625; *undatus* 625
Rhodotorula mucilaginoso var. *sanguinea* 71, 631
Rhopalogaster 310
Rhyarobius 763
Rhytisma salicinum 613
Ripartites helomorpha 625; *tricholoma* 625
Rosellinia clavariae 621; *subiculata* 603
Rozella 2, 3; *cladocytrii* 3
Rozites caperata 625
Russula 202-231, 613, 621; sect. *Compactae* 202; *B Constantes* 203; subsect. *Delicinae* 203; subsect. *Lactarioideae* 202-231; subsect. *Plorantes* 203; sect. *Leucosporae* 203; *adusta* 616, 625; *aeruginosa* 616; *betulina* 616; *brevipes* 203, 218-223, 229; var. ***acrior* 204, 216, 223-225, 230**; var. *brevipes* 204, 213, 216, 220-226, 229; var. ***megaspora* 204, 216, 223, 226; cascadenis 203-205, 210, 212-215; *chamaeleontina* 625; *chloroides* 220, 222, 228, 229; var. *parvispora* 218; *crustosa* 625; *decolorans* 625; *delica* 202-204, 216-223, 228-230, 616, 625; var. *bresadolae* 229; var. *glaucohylla* 229; var. *glutinosa* 230; f. *chloroides* 228; *deliciosa* 230; *delicula* 203-205, 215-217; *densifolia* 625; *fallax* 625; *foetens* 625; *fragilis* 625; *fucosa* 625; *fuegiana* 203-206, 212, 213; *gracilis* 625; ***inopina* 203-205, 208-212; integra 625; *macrospora* 625; *maculata* 205; *mariae* 616; *nigricans* 625; *ochroleucoides* 625; *peckii* 616, 625; *pectinata* 616; *pseudodelica* 203, 204, 207, 208, 216, 227; var. *flavispora* 230; var. *pallidiospora* 230; *purpurina* 616, 625; ***romagnesia* 203, 204, 213, 216, 217, 218**; *squalida* 625; *variata* 606; *vesicatoria* 203-206, 210-215
Rutstroemia macrospora 621

Saccharomyces 259; *cerevisiae* 901; *fragilis* 263; *lactis* 263
Saccobolus depauperatus 765, 767
Sacrothecium corni 841, 847
Saprolegnia 17
Sapromyces elongatus 438
Sarcodon imbricatus 625
Schizophyllum commune 616, 625
Schizosaccharomyces pombe 701
Scirrhia acicola 108
Scleroderma arenicola 606; *aurantium* 70, 625, 630; *flavidum* 631; *geaster* 631; *lycoperdoides* 70-76, 606, 630
Sclerophomella 47****

- Sclerophthora 689
 Sclerospora 689
 Sclerotinia 117
 Sclerotium oryzae 128
 Scopariopsis 315; atra 61; brevicaulis 617; diversispora 61
 Scutellinia 724; coprinaria 729; dalmeniensis 735; erinaceus 736; hemisphaerica 621; michiganensis 729; rubra 735; scubalonta 727; scutellata 736; stercorea 727; theleboides 733; vitellina 735
 Scutiger confluent 625; ovinus 625
 Scytinostroma galactinum 625
 Sebacia 699; incrustans 606, 625
 Selenophoma **alpina** 48; donacis 612, 617; everhartii 48; **kobresiae** 48
 Sepedonium chrysospermum 617
 Septobasidium duchesnayensis 625
 Septoria acicola 104; andropogonis 42, 48; aerae-interruptae 42, 49; baudysiana 49; caricicola 42, 49; cerastii 42, 49; fontii 49; increscens 617; nodorum 41, 42, 49; paludosa 49; **sigmoidea** 42, 50
 Sepultaria arenosa 621; pediseta 729
 Shanorella 868
 Sirothyriella **punjabensis** 43, 50
 Sirothyrium **crustosa** 43, 51
 Sistotremastrum succicum 606
 Solenia candida 616, 625; fasciculata 606
 Sordaria 95
 Spadioides 124
 Spathularia 613; clavata 613, 621; flavida 621; velutipes 613
 Spegazzinula chondrospora 846
 Sphaerella annulata 56; chondrospora 844; glauca 55, 56; leucothoës var. terminalis 857, 858; lycopodina 852; magnoliae 56; polystigma 850
 Sphaeria chondrospora 841-844; citrispora 846; corni 847; dematium 395; leucothoës 857, 858; magnoliae 56
 Sphaerobolus 616; stellatus 625
 Sphaerognomonia polystigma 850
 Sphaeronema **himalayense** 43, 51
 Sphaeropsis 37; euphorbiae 43, 51; **veronicae** 43, 51
 Sphaerotheca 767; humuli 613
 Spiropes 129; guareicola 129
 Spondylocadium 123, 124; atrovirens 122-124
 Sporidesmium 119, 127, 130; atrum 127; bonarii 128; flagellatum 128; parvum 128
 Stachybotrys 313-316; aurantia 313, 315; **bisbyi** 315; **sacchari** 315
 Stachylidium 124
 Stagonospora simplicior 617
 Steccherinum adustum 606; ochraceum 606; septentrionale 606, 625
 Steganosporium celtidis 424; lycii 424; **mallotica** 422-424; pyriforme 424
 Stemonitis flavogenita 170, 174-176, 181; fusca 170, 179-182; pallida 182; splendens 170
 Stereocaulon 618; tomentosum 618
 Stereum albo-badium 616; cinerascens 606; complicatum 606; hirsutum 616, 625; lobatum 606; murrayi 625; ochraceoflavum 625; pini 625; purpureum 625; sanguinolentum 616, 625, 802, 803; striatum 606
 Stigmatolemma poriaeformis 606
 Stigmata tephrosiae 420
 Stigmochora leucothoës 857
 Stilbella **thermophila** 277-279
 Stilbochalara dimorpha 920
 Stilbum giganteum 304
 Streptococcus pyogenes 701
 Streptomyces 158-161, 270, 271, 279, 505; albus 507-511; aureofaciens 158, 160; cinnamomeus 509, 511; coelicolor 507-511; griseus 158, 160, 507-511; kentuckensis 507, 509; lavendulae 158, 160, 507-511; netropsis 507-511; rectus 271; thermoviolaceus subsp. pingens 271; thermovulgaris 272; venezuelae 507, 509, 511; vinaceus 507, 509; violaceoruber 272, 279, 507-511; viridochromogenes 507-511
 Streptosporangium 506-511
 Strobilomyces confusus 606
 Stromatocrea cerebriiforme 453-455
 Stromatoscyphella conglobata 616
 Stropharia depilata 616; hardii 625; merdaria 616; semiglobata 616, 625
 Stypella minor 606
 Suillus 708, 710; sect. Piperati 136; acidus 625; albidipes 625; americanus 625; brevipes 625; granulatus 625; grevillei 625; hirtellus 625; luteus 625; piperatus 616, 625; placidus 625; punctipes 626; rubinellus 136-138, 626; tomentosus 626
 Syncephalis cornu 905; depressa 905-908; furcata 905; nodosa 6, 905; reflexa 905; sphaerica 905
 Syzygites megalocarpus 613
 Taeniella 165
 Talaromyces 870; duponti 277
 Taphrina carnica 613; robinsoniana 613
 Tetrachaetum elegans 133
 Tetrachidium marchalianum 133, 617
 Thamnidium elegans 9
 Thelebolus 763-769; stercoreus 763-768
 Thelephora 606; carophyllea 626; multipartita 24; palmata 606; regularis 626; terrestres 606, 626
 Thermoactinomyces 279; glaucus 272; vulgaris 272, 280

- Thermomonospora* 279; *curvata* 270, 273; *fusca* 273
Thermomyces lanuginosus 275
Thermopolyspora glauca 272; *polyspora* 270, 273
Thielaviopsis 920
Thraustochytrium 745, 748; *aureum* 755, 897-904; *roseum* 899
Tieghemella 568, 569, 575, 583; subgen. *Eu-Tieghemella* 569; subgen. *Micro-Tieghemella* 569; *butleri* 571; *cylindrospora* 577, 591, 595; *spinosa* 577, 580; *subpoculata* 571
Tieghemiomycetes 6
Tilachlidium tomentosum 617
Tomentella coriaria 606; *fusca* 626; *rubiginosa* 606
Torula 805-808; ***nikitinskii* 806**; *pulchra* 805
Torulopsis 630
***Toxotrichum* 473-483, 486; cancellatum 473, 474-482**
Trametes heteromorpha 616; *odorata* 616; *ohiensis* 692; *stereoides* 616; *variiformis* 616
Trechispora brinkmannii 606, 626
Tremella mesenterica 616; *stipitata* 299, 301, 303
Tremellodendron schweinitzii 626
Trichoderma lignorum 7; *viride* 617, 922
Tricholoma cingulatum 626; *equestre* 626; *fallax* 626; *flavovirens* 626; *fumosoluteum* 626; *inamoenum* 626; *saponaceum* 626; *sejunctum* 626; *sulphureum* 626
Tricholomopsis decora 626; *rutilans* 626; *sulphureum* 626
Trichometasphaeria 68, 121, 200
Trichophaea 116, 117; *bullata* 116, 117; *gregaria* 621
Trichophyton 567; *mentagrophytes* 457, 656-661; *persicolor* 656; *terrestre* 317, 318, 430, 431, 876, 877; *terrestre gyratum* 318; *terrestre primum* 317, 318; *terrestre radiosulcatum* 318; *terrestre secundum* 318; *tonsurans* 656
Trichosphaeria dryadea 854, 855
Trichothecium roseum 1, 4, 617
Tricladium angulatum 617
***Tripedotrichum* 483-487; herbariensis 483-487**
Tripterospora 97
Truncocolumella 310
Truncospora 692, 694; *ohiensis* 606
Tubulicrinis 624; *accedens* 250; *calothrix* 626; *juniperina* 626; *propinqua* 626
Tulasnella 698, 699; *allantospora* 616, 626
Tulostoma fibrillosum 606
Tylopilus felleus 626
Typhula castaneopes 20, 21
Tyromyces albellus 606, 616, 626; *amorphus* 626; *caesius* 626; *galactinus* 606; *guttulatus* 626; *semipileatus* 606; *semisupinus* 616, 626
Uncinula salicis 613
Uredinopsis osmundae 616; *struthioteridis* 616
Urnula 306
Urocystis cepulae 289; *colchici* 289-297
Uromyces amoenus 616; *hedysari-obscuri* 616; *leptodermis* 557; *limonii-caroliniani* 616; *phaseoli* var. *typica* 915; *punctatus* 616; *setariae-italicae* 555-560; *trifolii-repentis* 616
Usnea comosa 618; *dasyopoga* 618; *longissima* 618
Vakrabeeja 120, 128, 130; *sigmoidea* 128
Vanbeverwijkia spirospora 642
Vararia effusata 606; *investiens* 606
Vascellum depressum 631; *pratense* 631
Venturia tremulae 613; *islandica* 841, 854; *oxydendri* 857; *tirolensis* 854
Vermicularia 393, 396; *atramentarium* 395; *denatum* 43, 52, 395, 396; *eupyrena* 395; *maculans* 396; *orthospora* 395; *varians* 395
Verrucaria erichsenii 618
Verticillium 803; *agaricinum* 607
Volvariella pusilla 626
Wardomyces 516, 517
Wojnowicia graminis 41, 43
Woronina 3; *pythii* 3
Xanthoconium affine 626
Xanthoria parietina 618; *polycarpa* 618
Xenasma 251; *minutum* 250, 616, 626; *praeteritum* 251; *tulasnelloideum* 252, 626
Xerocomus badius 616, 626; *chrysen-teron* 606, 616, 626; *parasiticus* 626; *subtomentosus* 616, 626
Xeromphalina campanella 616, 626; *caucinaeaulis* 626; *picta* 626
Xerulina chrysoplepa 626
Xylaria 95, 603; *longipes* 621; *polymorpha* 603, 621
Xylodo. rustulatus 606; *versiporus* 616
Zelleromyces cinnabarinus 610, 612, 616
Zygosaccharomyces ashbya 263; *dobzhanskii* 263
Zygosporium masonii 15